OFFICE OF THE SECRETARY, PRINCESS KRISHNAJAMMANNI SANATORIUM, MYSORE.

Abstract Notification dated 29th January 1954.

Notice is hereby given that sealed tenders in four copies on half-sheet foolscap sized paper will be received by the undersigned in his office at the Princess Krishnajammanni Sanatorium, Mysore for the supply of "Pure Cows' Milk" for the use of the Princess Krishnajammanni Sanatorium, Mysore, during the period from 1st March 1954 to 31st December 1954 (both days inclusive) on Saturday, the 20th February 1954, at 10 A.M.

No tender will be received unless accompanied by a deposit in treasury receipts only equal to not less than 5 per cent of the total value of the tender. The tender deposit to be made will be to the next nearest thousand. The tenderers should submit with their tenders solvency certificates to the extent of 25 per cent of their tender amounts issued by the Revenue Authorities and the latest certificates obtained for their being borne on the approved list of the Stores Purchase Committee as Government Contractors together with the latest Income-tax clearance and Sales-tax certificates obtained from the Income-tax and Sales-tax authorities. Solvency certificate obtained six months prior to the date of receiving the tender will not be valid.

Copies of the detailed tender notification can be had in the office of the undersigned during the office hours.

7716

OFFICE OF THE SECRETARY, KRISHNARAJENDRA AND CHELUVAMBA HOSPITALS, MYSORE.

Abstract Notification dated 30th January 1954.

Notice is hereby given that sealed tenders in triplicate on half-sheet foolscap size paper, will be received at 10 A.M. on Monday, the 22nd February 1954, by the undersigned at his office for the supply of "Fresh drawn Pure Cows' milk" required for use in the Krishnarajendra and Cheluvamba Hospitals, Mysore, from 1st March 1954 to 31st December 1954, inclusive.

No tender will be received unless accompanied by a deposit in treasury receipts only, equal to not less than 5 per cent of the total value of the tender. The tenderers should submit with their tenders Solvency Certificate to the extent of 25 per cent of their tender amount, issued by the Revenue Authorities and the latest certificate obtained for their being borne on the approved list of the Stores Purchase Committee as Government Contractors, together with the necessary Income-tax Clearance Certificate obtained from the Income-tax Authorities and the Sales-tax Clearance Certificate obtained from the Sales-tax Authorities Solvency certificate obtained six months prior to the date of submission of tenders will not be valid. Joint-solvency certificates will not be received. Only the latest Sales-tax and the Income-tax Clearance Certificates will be accepted.

Detailed tender notifications can be had from the office of the undersigned either in person during the working hours or by application.

L. KALLAIAH,
Secretary.

7739

MISCELLANEOUS DEPARTMENTS

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

WEIGHMENT OF MOTOR VEHICLES.

Notice dated 16th February 1950.

No. T. C. 265—49-50. The public are hereby informed that an Avery's Weighbridge has been installed in the Office of the Inspector-General of Police in Mysore, Cenotaph Road, Bangalore City, and that motor vehicles can be weighed there and a certificate of weighment obtained on payment of a fee of Rs. 1-8-0.

G. N. NAGARAJA RAO,
Inspector-General of Police.

3826

OFFICE OF THE DIRECTOR OF ANIMAL HUSBANDRY SERVICE IN MYSORE, BANGALORE.

Sale Notification dated 11th February 1954.

It is hereby notified for the information of the public that about thirty Horses including brood-Mares and young stock of both Remounts and Ponies as detailed in the list will be sold in public auction by the Director or any other officer authorised by him at the Veterinary Hospital, Civil Station, Bangalore, on two days, *viz.*, Saturday, 27th February 1954 and Wednesday, 3rd March 1954. The auction sale commences at 2 P.M. on each of the above days.

1. The discretion of accepting or rejecting the final bid in respect of each animal at the auction sale is left to the sale conducting authority.

2. At the conclusion of the sale of each animal at the auction and provided the final bid is accepted by the sale conducting officer, the successful bidder is required to pay 25 per cent of the sale amount immediately and pay the remaining amount together with sales tax soon after the close of the auction, failing which the animal will be resold at the risk and responsibility of the original purchaser. If the amount realised by such a resale should result in loss to Government, such loss will be recovered from the original purchaser as per rules applicable for recovery of arrears of land revenue. If in case the resale should fetch a higher amount than in the original sale, the original purchaser shall have no claim over the excess amount, if any, realised. In the event of the animal requiring to be put to resale has to be retained by the Department till it is resold, it shall be done at the risk and responsibility of the original defaulting highest bidder.

3. If the sale conducting officer should entertain any doubt about the solvency of any of the bidders, the latter shall be permitted to bid, only after depositing a sum ranging from Rs. 150 to Rs. 200 as may be fixed by the sale conducting officer which will be refunded to unsuccessful bidders.

4. When once a bid is offered, no complaints can be entertained regarding bid, nor the bidder can deny or reject the animal for which the bid is offered and as soon as the sale of the animal is closed, the highest bidder shall attest his signature after entering the details of sale in the sale records. When the highest bidder has attested the sale record, it shall be deemed that he has agreed to be bound by all the conditions of the sale.

5. Sales-tax at three pies per rupee shall be paid on the final bid amount immediately after the close of the auction sale.

6. The intending bidders can inspect the animals on any day before the date of auction, at the Stud Farm, Hessarghatta and at the Veterinary Hospital, Civil Station, Bangalore, a day previous to the date of auction sale.

7893 P. M. NARAINSWAMY NAIDU, *Director.*

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER TO THE GOVERNMENT OF MYSORE, BANGALORE (1).

Notification dated 13th February 1954.

No. G.N. 98. Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 9 A.M. on 6th March 1954, for the supply of the following, the terms of delivery being F.O.R., Mysore.

The tenderers should quote their best billing prices which should be firm for a period of one month from the due date of the tender. The rates should be quoted in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the tender along with the manufacturer's name, etc., complete. Samples wherever possible should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is

placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of, the earnest money if any. The successful tenderer should if so required by us, deposit a sum equal to 5 per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this Department for local purchases.

The tenders should be superscribed as "Tender for the supply of Trojan Fittings to be opened on 8th March 1954", at 3 P.M.

1	Trojan type fitting ceiling type 9"×4" with nickle plated 4½" ceiling plate and 4" gallery white opal glass ware.	90 fittings.

Illustrated catalogue should be sent along with the tenders.

1985

Notification dated 16th February 1954.

No. G.N. 99. Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 3 P.M. on 15th March 1954, for the supply of the following, the terms of delivery being Ex-our C.P.S. Central Stores, Bangalore.

The tenderers should quote their best billing prices which should be firm for a period of one month from the due date of the tendor. The rates should be quoted in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the tender along with manufacturer's name, etc., complete. Samples wherever possible should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us, should deposit a sum equal to 5 per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this Department for local purchases.

The tenders should be superscribed as "Tender for the supply of Five K. V. Drop-out or non-dropout cutouts 50 or 100 amps, etc.," to be opened on 16th March 1954.

1	5 KV. dropout or non-dropout cutouts complete with fuse holders, standard mounting bracket, etc., complete for 50 amps.	75 to 80 Nos.
2	*Alternatively* quoted for 100 amps. also ...	
3	Spare fuse holders for the above ...	12 Nos. in each

(Complete specification together with illustrative leaflets, technical literatures, etc., should accompany the tender).

1998

Notification dated 15th February 1954.

No. G.N. 100. Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 3 P.M. on 15th March 1954, for the supply of the following, the terms of delivery being Ex-our C.P.S. Central Stores, Bangalore.

The tenderers should quote their best billing prices, which should be firm for a period of one month from the due date of the tender. The rates should be quoted in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the tender along with manufacturers name, etc., complete. Samples wherever possible should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us, deposit a sum equal to 5 per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this department for local purchases.

The tenders should be superscribed as "Tender for the supply of 'Genuine quality manilla rope ¾" size in standared rolls of 720 ft. long, etc.,' to be opened on 16th March 1954.

1	Genuine quality manilla rope ¾" size in standard rolls of 720 ft. long (weight per coil should be stated in the tenders).	15 coils

N. D. M. APPA,
1999 For *Chief Electrical Engineer.*

OFFICE OF THE SPECIAL SUPERINTENDENT, LIFT IRRIGATION SCHEME, No. 7 CRESCENT ROAD, HIGH GROUNDS, BANGALORE-1.

Enquiry No. 1.

Dear Sirs,

Tender for supplying motor-driven irrigation pumpsets, installing the same complete with foundation, delivery and suction pipes and with accessories complete, and wiring the motor and control gear.

The tenderers are requested to furnish their quotation for (A) supplying of motor-driven irrigation pumping sets, (B) installing the I.P. Sets complete with foundation, delivery and suction pipes and with accessories complete, and wiring the motor and control gear.

(*A*) *Supplying motor-driven pumping sets suitable for*:

(*a*) 400 volts 3 phase, 4 wire, 50 cycles, to run at 1440 R.P.M.

(i) 3 H.P. suitable for 30 to 40-ft. head.
(ii) 5 H.P. do do.
(iii) 7·5 H.P. do 60 to 70-ft. head.
(iv) 10 H.P. do do.

(*b*) 230 volts, 3 phase, 3 wire, 25 cycles, to run at 1440 R.P.M.

Details of H.P. and head as above under (*a*).

Rates should be quoted separately for (i) Direct coupled and (ii) Belt-driven pumping sets, complete with slide rails, loose and fast pulleys.

Similarly rates may be given separately for Drip proof and Non-drip proof type motors. The quotation should give complete details for the pumps regarding (i) size, capacity in gallons per minute at different heads and the characteristics of the pump, (ii) The metal used for the impeller of the pump whether cast iron, bronze or gun metal, etc., should be mentioned, (iii) details of foot valve, whether screwed, flanged or wheel valve, and (iv) other details.

Rates for starters suitable for each of the pumping sets mentioned in (*a*) and (*b*) above should be given, furnishing all details regarding the starters. The starters should be complete with overload and no-volt relays, and necessary relay or relays to protect the Motor against single phase supply.

While quoting for the pumping sets, the cost of the motor and pump may be given separately, as also all details regarding the motors, pumps and starters.

(*B*) *Installing the pumping sets with pipes and other accessories*:

(1) Putting up a cement concrete foundation (1 : 3 : 6) for installing the motor-driven pumping set on the floor of the pumpshed, using four through bolts, nuts, etc., complete Rate per C.ft.

(2) Installing the 3 H.P. or 5 H.P. or 7'5 H.P. or 10 H.P. motor-driven pumping set complete with foot valve, etc, on the cement concrete foundation with necessary bolts and nuts complete.

(3) Preparing suitable angle iron fixture, using $2\frac{1}{2}'' \times 2\frac{1}{2}'' \times \frac{1}{4}''$ angle iron for installing the pumping set inside the well, using necessary clamps, bolts and nuts, etc., complete, as per directions of the Department.

(4) Installing 3 H.P. or 5 H.P. or 7'5 H.P. or 10 H.P. motor-driven pumping sets on the angle iron fixture mentioned in (3), using necessary bolts and nuts, C.I. bed plate and other accessories complete.

(5) Supplying, fixing and running delivery and suction pipes, using necessary clamps, bolts and nuts for fixing the suction pipe on the wall of the well, using necessary bends, collars and providing a wheel valve on the delivery side, etc., complete for sizes ranging from :

	Per R.ft.
2" to 4" diameter	
Delivery pipe—30 ft.	
Suction pipe—30 ft.	

The cost of the supply of pipes and fixing charges may be quoted separately. The make of the pipes, foreign, or Indian, should be stated. Rates may be given separately for bends.

WIRING THE MOTOR AND CONTROL GEAR.

(6)	(a) *50 Cycle Motors*	*Unit.*
	Supplying and running 3 phase, 4 wire power mains in 1" heavy guage (16 gauge) braized conduit, with necessary bends, clamps, J. Hooks, etc., from the Government pole to the switch-board, using 7/.029 SWG. V.I.R. insulated wire, insulated for 600 volts (for 3 or 5 or 7'5 H. P. 50 Cycles motor) ...	R.ft.
	or	
	Do do using 7/.036 SWG., V. I. R. insulated wire, insulated for 600 volts (for 10 H. P. 50 cycles motor)	R.ft.
	(b) *25 Cycle Motors.*	
	Supplying and running 3 phase 3 wire power mains in 1" heavy gauge (16 gauge) braized conduit, with necessary bends, clamps, J-Hooks, etc., from the Government pole to the switch board, using 7/.029 SWG. V. I. R. insulated wire, insulated for 600-volts (for 3 H.P. 25 cycles motor)	R.ft.
	or	
	Do do using 7/.036 SWG. V. I. R. insulated wire, insulated for 600 volts (for 5 H. P. or 7'5 H. P. 25 cycles motor)	R.ft.
	or	
	Do do using 7/.044 SWG., V. I. R. insulated wire, insulated for 600 volts (for 10 H. P. 25 cycle motor)	R.ft.
(7)	Supplying and fixing T. W. Meter Board $3' \times 2\frac{1}{2}' \times 1''$ with 2" batten all round and 1/2" rear board, mounted on a suitable angle iron frame work and equipped with a 15 amps. T. P. S. T. iron-clad switch, complete with fuse units, 3 pilot lamps, bow cutouts and three of 5 amps. tumbler switches fixing the starters (to be supplied, *vide* Part 'A' and wiring the meter board, starter, switches, etc., complete (using insulated wire as used for item (6)	No. 1.
	or	
	Do do but providing a 30 amps. T. P. S. T. iron-clad switch	No. 1
(8)	Supplying and running six wires from the starter to the motor terminals, using necessary length of wrought iron pipe or metallic flexible hose pipe with necessary clamps, bolts and nuts, etc., using.	
	(a) 7/.029 SWG., V. I. R. insulated, wire 600-volts grade in 1" W. I. pipe	R.ft.
	or	
	Metallic Flexible Hose Pipe ...	R.ft.
	or	
	(b) 7/.036 SWG., do in $1\frac{1}{4}''$	R.ft.
	or	
	(c) 7/.044 SWG., do in $1\frac{1}{4}''$	R.ft.
(9)	Grounding the iron-clad switch, main conduit pipe and the motor frame as per departmental specifications mentioned in the Wiring Rules	No. 1

(1) The tenderer should specify the particular Area, District or Section, where they are in a position to carry out the works, as per the instructions to be issued to the successful tenderer by the following Sectional officers of the Electrical Department.

(1) Bangalore (City Area)	(7) Hassan
(2) Bangalore (Civil Area)	(8) Ramakapura
(3) Mysore	(9) Sivasamudram
(4) Bhadravathi	(10) Jog
(5) Kolar Gold Fields	(11) Shimshapura
(6) Chikballapur	(12) Bellary

The exact number of installations which are coming under this scheme cannot be anticipated. It depends upon how many consumers are willing to take advantage of this scheme. However, a list of pumping sets which are expected during the next five months sectionwar, can be had at the Office of the Special Superintendent, Lift Irrigation Scheme, No. 7, Crescent Road, High Grounds, Bangalore-1. The quotation should be applicable for a single set or more number of sets and should hold good till the end of September 1954.

(2) Materials for cement concrete foundation will have to be provided for by the successful tenderer but cement required for the work will be arranged to be supplied through the department, if required ; the cost of supply together with 10 per cent stock incidentals being recovered from his bill of cost for the installation of the irrigation pumping sets.

(3) Each tenderer should be conversant with the latest wiring rules of the Department in so far as they are applicable to the power installations as detailed in the Wiring Rules Book issued by the Secretary, Wiring Rules Committee, and which can be obtained from him or from any of the abovementioned Sectional Officers at a cost of Rs. 2 per book.

(4) The tenderer should furnish, along with quotation, his capacity to undertake the work within the stipulated time, which may be not more than 2 to 3 weeks from the date of order of the work.

(5) The tenderer should furnish detailed specification of the materials, such as, conduit pipe, insulated wires, iron-clad switches, starters, etc., mentioning the name of manufacturer. All materials should conform to latest B.S.S. specifications.

(6) The successful tenderer will be required to submit to the Special Superintendent, Lift Irrigation Scheme, No 7, Crescent Road, High Grounds, Bangalore-1, or the sectional Officers, samples of wiring materials, switches and other electrical equipments to be proposed to be used in the installation and use only such materials as are approved by the Special Superintendent or the Sectional Officers.

(7) The work of installing the pumping sets will be supervised by the Departmental Officer or Officers from time to time and any portion of work, which is found to be below the departmental standard work, will have to be re-done at the tenderer's own cost.

(8) The successful tenderers will be required to deposit an earnest money of Rs. 25 per each installation wiring work awarded to him, which will be forfeited to the department if he does not carry out the work as per agreed terms of order.

(9) The tenderers may also please note that the department will render all reasonable help to enable the tenderer to complete the work well in time in the interest of the department, of the ryot and his own work.

As the work of installing and servicing the I. P. Sets is put on the topmost priority under the "GROW MORE FOOD" Scheme, speedy execution of the work is of utmost importance and, therefore, the tenderer should have reasonably well-established organization to carry out these works expeditiously, as per contracts to be awarded to him by the several Sectional Officers from time to time.

The quotations superscribed "Tender for supplying installing and wiring the motor-driven I. P. Sets" should be submitted so as to reach the Office of the Special Superintendent, Lift Irrigation Scheme, No. 7, Crescent Road, High Grounds, Bangalore-1, not later than 10th March 1954.

Tenderers who are only in a position to supply pumpsets complete with motor, starters and foot valves may quote for these materials.

Tenderers who are in a position to supply complete pumpsets as above and instal and wire the same may also quote as a complete tender, which should be in two parts, one for the material and the other for installing and wiring.

The tender may be given by any firm, but the wiring of the installation should be got executed through a Licensed Electrical Contractor, the responsibility for the same, however, rests on the tendering Firm.

If any of the tenderers are willing to take up the construction of the pump house in any particular area, they may intimate their willingness to do so, the specifications and particulars may be ascertained at the Office of the Special Superintendent, Lift Irrigation Scheme, Bangalore-1.

Any further details required may be got at the office of the Special Superintendent, Lift Irrigation Scheme, No. 7, Crescent Road, High Grounds, Bangalore-1.

G. SAMBASIVIAH,
Special Superintendent,
Lift Irrigation Scheme.

1981

OFFICE OF THE SUPERINTENDENT, BASIC TRAINING CENTRE, VIDYANAGARA P.O. BANGALORE DISTRICT.

Notification.

It is hereby notified for the information of the public that certain unserviceable articles pertaining to the Spinning and Weaving Section of this Centre as per list noted below, are ordered to be disposed of by the Director of Public Instruction in Mysore, Bangalore. Intending buyers may inspect the articles in the premises of the institution during the working days and give their offer in sealed covers, on or before the end of February 1954.

LIST OF ARTICLES.

Sl. No.	Name of Article	Quantity
1	Big charakas	40
2	Box charakas	8
3	Ilatna Ribbon loom	1
4	S.L.N. Frame loom 28"	1
5	Do 66"	1
6	Calicut Frame loom	1
7	Pit Fly-suttle loom	9
8	Frame loom 48"	1
9	Verticle warping mill	1
10	Horizontal warping mill	1
11	Healed staves	178
12	Fly shuttle slays	4
13	Ribbon-loom throw shuttle slay	1
14	Bobbin winders	3
15	Warp rollers	3
16	Steel reeds of different counts	33
17	Blanket reeds	1
18	Country reeds	4
19	Do and heald	set 1
20	Varnished healds	sets 6
21	Wire healds	1,200
22	Bobbins	474
23	Fly shuttle pins...	280
24	Fly shuttles	16
25	Roller shuttles	27
26	Horn shuttles	5
27	Raddles	2
28	Sizing brushes	2
29	Twenty-four shafts tappets	2
30	Charaka stools	12
31	Jakquard loom springs	9
32	Leading reed	1
33	Automatic reedhooks	2
34	Drawing hooks	16
35	Ply-wood blank-board	1
36	Creel frame wires	75
37	Lingos	100
38	Magnifying glass	1
39	Counting glasses	8
40	Teakwood shuttle box	1
41	Doubling machine	1
42	Charaka spindle case	1
43	Small tappets	4
44	Pulleys for healdstaves	12
45	Weavers' nippers	6
46	Heald rollers	6
47	Wire nut shuttle prospectors	5
48	Small charaka stools	11
49	Wire heald frames	16
50	Double edged drawing hook	1
51	Coat-racks	7

K. S. ACHARLU,
Superintendent.

7696

OFFICE OF THE CHEMICAL EXAMINER AND SUPERINTENDENT OF LABORATORIES, PUBLIC HEALTH INSTITUTE, BANGALORE.

Abstract Tender Notification, dated 8th February 1954.

Notice is hereby given that sealed tenders will be received by the undersigned in this office, Seshadri Road, Bangalore, up to 1 P.M. on 4th March 1954, for the supply of Vegetables, Bread, Milk, Eggs, etc., for a period of 12 months, from the 1st April 1954 to 31st March 1955.

The printed copies of the detailed tender forms may be obtained from this office between 11 A.M. and 5 P.M. on any working day.

C. V. NATARAJAN,
Chemical Examiner and Superintendent.

8031

OFFICE OF THE AGRICULTURAL ENGINEER, SESHADRI ROAD, BANGALORE.

Notification dated 11th February, 1954.

Sealed tenders duly signed will be received at the Office of the undersigned upto 4 p. m. on 26th February, 1954, for constructing a compound wall around Central Godown at Kolar, just behind Kolar Railway Station.

1. For each item of work individual rates should be quoted both in words and figures.

2. The rates tendered should hold good from the time of acceptance to the tender to the date of completion of construction.

3. For non-tendered items, rates will be paid either by Schedule or by rates based on data.

4. Tenders should be submitted in the printed forms which can be had from the Office of the Agricultural Engineer, Seshadri Road, Bangalore, on payment of annas four. No cheques will be accepted. Each tender should be accompanied with the Treasury (Reserve Bank) chellan for Rs. 266 earnest money paid to the credit of Revenue Deposits.

5. Final acceptance to the tender will rest with the Commissioner for Food Production in Mysore, Bangalore. Estimates and plans will be available for inspection in the office of the undersigned on any working day during office hours.

6. The successful tenderer should bind himself to abide by the Departmental rules in force and execute the necessary agreement within a week of acceptance of his tender, failing which, the earnest money will be forfeited to Government.

7. The Department does not bind itself to accept the lowest or any tender or to assign any reason thereof.

8. The quantities noted in the abstract estimate are only approximate.

9. The work should be completed in all respects within thirty days from the date of agreement, failing which, his contract will be cancelled with the forfeiture of earnest money.

10. Iron materials required for erecting the sentry shed will be supplied by the Assistant Director of Agriculture, Kolar.

K. N. G. DWAJAN,
Agricultural Engineer.

8190